



COMMONWEALTH OF MASSACHUSETTS
EXECUTIVE OFFICE OF ENERGY & ENVIRONMENTAL AFFAIRS
DEPARTMENT OF ENVIRONMENTAL PROTECTION
SOUTHEAST REGIONAL OFFICE
20 RIVERSIDE DRIVE, LAKEVILLE, MA 02347 508-946-2700

DEVAL L. PATRICK
Governor

TIMOTHY P. MURRAY
Lieutenant Governor

IAN A. BOWLES
Secretary

LAURIE BURT
Commissioner

May 1, 2008

Ted Hanley, EHS Manager
Teknor Apex
330 Oakhill Avenue
Attleboro, Massachusetts 02703

RE: ATTLEBORO – Industrial Wastewater
Teknor Apex @ 330 Oakhill Avenue
BWP IW38 - Permit for Industrial
Sewer User
M.G.L Ch 21, Section 43
314 CMR 7.00 and 2.06
Transmittal No. W203009

Dear Mr. Hanley:

Enclosed is your Permit for Industrial Sewer User BWP IW38 issued pursuant to the Massachusetts Clean Water Act (the "State Act"), M.G.L., Ch. 21, Section 26-53, as amended, and the promulgated regulations 314 CMR 7.00, 314 CMR 2.00, and 310 CMR 4.00 thereunder.

This permit is an action of the Department of Environmental Protection and is effective upon issuance. Please carefully review the enclosed permit, including all the terms and conditions stated under. If you are aggrieved by this action, you may request an adjudicatory hearing. A request for a hearing must be made in writing and postmarked within thirty (30) days of the date this permit was issued.

Under 310 CMR 1.01(6)(b), the request for a hearing must state clearly and concisely the facts that are the grounds for the request, and the relief sought. Additionally, the request must state why the permit is not consistent with applicable laws and regulations.

The hearing request, along with a valid check payable to the Commonwealth of Massachusetts, in the amount of \$100.00, must be mailed to:

Commonwealth of Massachusetts
Department of Environmental Protection
P.O. Box 4062
Boston, MA 02211

This information is available in alternate format. Call Donald M. Gomes, ADA Coordinator at 617-556-1057. TDD# 866-539-7622 or 617-574-6868.

DEP on the World Wide Web: <http://www.mass.gov/dep>



Printed on Recycled Paper

The request for a hearing will be dismissed if the filing fee is not paid, unless the appellant is exempt or granted a waiver as described below.

The Department may waive the adjudicatory hearing-filing fee for a person who shows that paying the fee will create an undue financial hardship. A person seeking a waiver must file, together with the hearing request as provided above, an affidavit setting forth the facts believed to support the claim of undue financial hardship.

Please include the transmittal number listed above on any further correspondence regarding your application.

Should you have any questions, please do not hesitate to contact Robert Greene at (508) 946-2826.

Very truly yours,

Christopher Tilden, P.E.
Regional Engineer for Waste Prevention

T/RWG/

Enclosures:

Permit for Industrial Sewer User (BWP IW 38)
Attachment B – Special Conditions
Toxics Pollutant Form
IWPS processes
IWPS drawing

ec DEP-Boston
ATTN:SCPP, BWPIW
Kellie Ingram
Anthony Abruzese
Thomas Higgins

DEP-SERO
ATTN: Laura Patriarca

cc City of Attleboro
Water Pollution Control Facility
77 Park Street
Attleboro, MA 02703
ATTN: Paul Kennedy.